INDEX TO
EXPERIMENTAL TECHNIQUES
VOLUME 13, 1989

Title Index

Adding the LaPlace Equation to Least-Squares Photoelastic Stress Solutions — D.G. Berghaus, 18-21 (Dec.).

Application of Holographic Interferometry to Analyze Vibration Patterns in Biological Tissue — M.A. Pathak, C.F. Stanley and G.Nunez, 30-31 (Apr.).

Application of the Incremental Hole-Drilling Method for Measurement of Residual Stress Distribution — J. Lu and J.F.Flavenot, 18-24 (Nov.).

Automatic Stress Analysis of Photoelastic Experiment by Use of Image Processing — E. Umezaki, T. Tamaki and S. Takahashi, 22-27 (Dec.).

Comparative Examination of Automatic Sequential Direct Systems for Strain-Gage Data Readings Based on a Low-Cost Switch-Control Unit, A — P. Cappa, 13-15 (Sept.).

Computerized Displacement Data Analysis in Laser Speckle Photography, A — B. Chitsaz and F.A. Moslehy, 21-24 (Mar.).

Data-Reduction Algorithms for Strain-Gage Rosette Measurements — C.C. Perry, 13-18 (May).

Direct Method of Obtaining the Critical Load of Inelastic Columns, A — P. Thannhauser, 23-24 (July).

Digital Dynamic-Crack Speed Measuring Device, A — C. Chang, 16-17 (Jan.).

Dynamic Response of Model Concrete Shell — Part II — A. Nikaeen and A.N. Lin, 13-15 (Jan.).

Dynamic Response of Prototype Concrete Shell — Part I — A.N. Lin and A. Nikaeen, 10-12 (Jan.).

Effect of Partial Laser Beam Coverage on Point-Wise Filtering of Specklegrams — F.A. Moslehy, S.L. Rice and S. Elmi, 29-31 (Aug.).

Effects of Data Acquisition Conditions on Modal Testing of a Simple Structure — Y. Soucy and D.W. Deering, 35-39 (Oct.).

Estimation of the Frequency Response Function Using Angular Acceleration Measurements, The — A.L. Wicks and M.-C. Han, 32-34 (Oct.).

Environmental and Fatigue Behavior of Kevlar/Epoxy Composites with Prior Impact Damage — S.H. Smith, R.D. Galliher and J.J. Parks, 16-21 (Feb.).

Evaluation of the Released Energy During Catastrophic Failure — P. Bocca, 25-28 (May).

Experimental Modal Analysis of Reinforced Concrete Structures — C.R. Farrar, 27-31 (Oct.).

Experimental Study of Thermofracture Behavior of Leaking Pipes, An — N.S. Sun, T.R. Hsu, Z.L. Gong and G.G. Chen, 16-20 (Sept.).

Generalized 2-D Scaling of Video Data: A Comparison of Techniques for Scaling Displacements Confined to a Plane — J.S. Walton, 19-24 (May).

Indirect Pressure Measurement for Functionally Inaccessible Vessels — A.Y. Kandeil, S. Critchley and G.S.A. Shawki, 18-21 (Jan.).

Laboratory Planar Truss for Structural Dynamics Testing, A — W.L. Hallauer and S.E. Lamberson, 24-27 (Sept.).

Manufacture of Composite Test Specimens for Delamination Studies — M. Sumich, 20-22 (Oct.).

Measurement of Crack Velocity in Concrete — M. Curbach, K.-H. Hehnand J. Eibl, 25-27 (Mar.).

Measurement of Stress Waves in Soil-Concrete Models Using Manganin Gages — D.E.P. Hoy, 34-36 (June).

Measurement of the Clamping Error in Floppy Disk Drives — G. Prater, 15-17 (Nov.).

Mechanical Impedance Technique for Non-Invasive *In Vivo* Diagnosis of Bone Fracture Healing — M.K. Lim, 23-25 (Oct.).

Metal-Forming Studies by Moiré Interferometry — S.D.K. Barbat, Y. Guo, R.S. Rao and D. Post, 25-28 (June).

Modal Test and Operational Vibration Measurements for a Ship Deckhouse Structure — J.M. Komrower, M.P. Pakstys and D. Wright, 40-42 (Oct.).

Mohr's Circle for Large Strain, A — S. Sathikh, 27-29 (Apr.).

Moiré Interferometric Strain Sensor (MISS) — A. Asundi, 27-28 (Aug.).

New Method for the Evaluation of the Work-Hardening Index in the Plastic Region, A — F. Wing-Chau, 22-23 (Feb.).

Photoelastic Coatings on Araldite Model — U.M. Chaudhari, P.B. Goldbole and M.M. Prabhu, 14-15 (Feb.).

Procedure for Measuring Area Under a Curve to Determine the Fracture Toughness of a Material, A — B.N. Rao, 28 (Dec.).

Residual-Deformation Evaluation Using Speckle Photography — G.H. Kaufmann and C.E. Baumann, 22-24 (Jan.).

Reusable Vacuum Bagging Technique for Autoclave Curing of Composites — F.Y.C. Boey, 21-23 (Sept.).

Steel-Fiber Cementitious-Matrix Bond Studies at High Stress Rates — N. Banthia, M. Pigeon and J.-F. Trottier, 19-22 (July).

Test Method for Determining Process Zone Position and Fracture Energy of Concrete — H. Schorn and T. Berger-Bocker, 29-33 (June).

Test of Close-Range Photogrammetry, A — D. Turek, J. Trimble and W. North, 28-30 (Mar.).

Thermal-Mechanical Fatigue Crack-Growth Testing System, A — J.J. Pernot and S. Mall, 24-28 (Feb.).

Tilted-Plate Method for Introducing Carrier Fringes of Extension in Moiré Interferometry, The — B. Han and D. Post, 25-29 (July).

Use of an Automatic Data-Acquisition System for the Sachs' Residual Stress Measurement Method, The — N.P. Hung, 24-26 (Apr.).

Utilization of Stretcher Strains for the Experimental Analysis of Stresses at the Bottoms of Notch Roots, The — K. Taniuchi, 22-26 (Aug.).

Utilization of Tools for Successful Troubleshooting of Structural Problems — C.D. Powell and R.C. Sohaney, 43-47 (Oct.).

Vacuum Stressing Technique for Composite Laminates Inspection by Optical Method — N.A. Rubayi and S.H. Liew, 17-20 (Mar.).

Video Technique for Obtaining Corrected True-Compressive Stress, A — K.P. Jen, J.N. Majerus and Y.P. Gu, 11-14 (Nov.).

Author Index

Asundi, A. — Moiré Interferometric Strain Sensor (MISS), 27-28 (Aug.).

Banthia, N. — Steel-Fiber Cementitious-Matrix Bond Studies at High Stress Rates, 19-22 (July).

Barbat, S.D.K. — Metal-Forming Studies by Moiré Interferometry, 25-28 (June).

Baumann, C.E. — Residual-Deformation Evaluation Using Speckle Photography, 22-24 (Jan.).

Berger-Bocker, T. — Test Method for Determining Process Zone Position and Fracture Energy of Concrete, 29-33 (June).

Berghaus, D.G. — Adding the LaPlace Equation to Least-Squares Photoelastic Stress Solutions, 18-21 (Dec.).

Bocca, P. — Evaluation of the Released Energy During Catastrophic Failure, 25-28 (May).

Boey, F.Y.C. — Reusable Vacuum Bagging Technique for Autoclave Curing of Composites, 21-23 (Sept.).

Cappa, P. — A Comparative Examination of Automatic Sequential Direct Systems for Strain-Gage Data Readings Based on a Low-Cost Switch-Control Unit, 13-15 (Sept.).

Chang, C. — A Digital Dynamic-Crack Speed Measuring Device, 16-17 (Jan.).

Chaudhari, U.M. — Photoelastic Coatings on Araldite Model, 14-15 (Feb.).

Chen, G.G. — An Experimental Study of Thermofracture Behavior of Leaking Pipes, 16-20 (Sept.).

Chitsaz, B. — A Computerized Displacement Data Analysis in Laser Speckle Photography, 21-24 (Mar.).

Critchley, S. — Indirect Pressure Measurement for Functionally Inaccessible Vessels, 18-21 (Jan.).

Curbach, M. — Measurement of Crack Velocity in Concrete, 25-27 (Mar.).

Deering, D.W. — Effects of Data Acquisition Conditions on Modal Testing of a Simple Structure, 35-39 (Oct.).

Eibl, J. — Measurement of Crack Velocity in Concrete, 25-27 (Mar.).

Elmi, S. — Effect of Partial Laser Beam Coverage on Point-Wise Filtering of Specklegrams, 29-31 (Aug.).

Farrar, C.R. — Experimental Modal Analysis of Reinforced Concrete Structures, 27-31 (Oct.).
Flavenot, J.F. — Application of the Incremental Hole-Drilling Method for Measurement of Residual Stress Distribution, 18-24 (Nov.).
Grilliher, R.D. — Environmental and Fatigue Behavior of Kevlar/Epoxy Composites with Prior Impact Damage, 16-21 (Feb.).
Godbole, P.B. — Photoelastic Coatings on Araldite Model, 14-15 (Feb.).
Gong, Z.L. — An Experimental Study of Thermofracture Behavior of Leaking Pipes, 16-20 (Sept.).
Gu, Y.P. — A Video Technique For Obtaining Corrected True-Compressive Stress, 11-14 (Nov.).
Guo, Y. — Metal-Forming Studies by Moiré Interferometry, 25-28 (June).
Hallauer, W.L. — A Laboratory Planar Truss for Structural Dynamics Testing, 24-27 (Sept.).
Han, B. — The Tilted-Plate Method for Introducing Carrier Fringes of Extension in Moiré Interferometry, 25-29 (July).
Han, M.-C. — The Estimation of the Frequency Response Function Using Angular Acceleration Measurements, 32-34 (Oct.).
Hehn, K.-H. — Measurement of Crack Velocity in Concrete, 25-27 (Mar.).
Hoy, D.E.P. — Measurement of Stress Waves in Soil-Concrete Models Using Manganin Gages, 34-36 (June).
Hsu, T.R. — An Experimental Study of Thermofracture Behavior of Leaking Pipes, 16-20 (Sept.).
Hung, N.P. — The Use of an Automatic Data-Acquisition System for the Sachs's Residual Stress Measurement Method, 24-26 (Apr.).
Jen, K.P. — A Video Technique for Obtaining Corrected True-Compressive Stress, 11-14 (Nov.).
Kandeil, A.Y. — Indirect Pressure Measurement for Functionally Inaccessible Vessels, 18-21 (Jan.).
Kaufmann, G.H. — Residual-Deformation Evaluation Using Speckle Photography, 22-24 (Jan.).
Komrower, J.M. — Modal Test and Operational Vibration Measurements for a Ship Deckhouse Structure, 40-42 (Oct.).
Lamberson, S.E. — A Laboratory Planar Truss for Structural Dynamics Testing, 24-27 (Sept.).
Liew, S.H. — Vacuum Stressing Technique for Composite Laminates Inspection by Optical Method, 17-20 (Mar.).
Lim, M.K. — Mechanical Impedance Technique for Non-Invasive *In Vivo* Diagnosis of Bone Fracture Healing, 20-22 (Oct.).
Lin, A.N. — Dynamic Response of Prototype Concrete Shell — Part I, 10-12 (Jan.).
Dynamic Response of Model Concrete Shell — Part II, 13-15 (Jan.).
Lu, J. — Application of the Incremental Hole Drilling Method for Measurement of Residual Stress Distribution, 18-24 (Nov.).
Majerus, J.N. — A Video Technique for Obtaining Corrected True-Compressive Stress, 11-14 (Nov.).
Mall, S. — A Thermal-Mechanical Fatigue Crack-Growth Testing System, 24-26 (Feb.).
Mosleby, F.A. — A Computerized Displacement Data Analysis in Laser Speckle Photography, 21-24 (Mar.).
Effect of Partial Laser Beam Coverage on Point-Wise Filtering of Specklegrams, 29-31 (Aug.).
Nikaeen, A. — Dynamic Response of Prototype Concrete Shell — Part I, 10-12 (Jan.).
Dynamic Response of Model Concrete Shell — Part II, 13-15 (Jan.).
North, W. — A Test of Close-Range Photogrammetry, 28-30 (Mar.).
Nunez, G. — Application of Holographic Interferometry to Analyze Vibration Patterns in Biological Tissue, 30-31 (Apr.).
Paksys, M.P. — Modal Test and Operational Vibration Measurements for a Ship Deckhouse Structure, 40-42 (Oct.).
Parks, J.J. — Environmental and Fatigue Behavior of Kevlar/Epoxy Composites with Prior Impact Damage, 16-21 (Feb.).
Pathak, M.A. — Application of Holographic Interferometry to Analyze Vibration Patterns in Biological Tissue, 30-31 (Apr.).
Pernot, J.J. — A Thermal-Mechanical Fatigue Crack-Growth Testing System, 24-26 (Feb.).
Perry, C.C. — Data-Reduction Algorithms for Strain-Gage Rosette Measurements, 13-18 (May).
Pigeon, M. — Steel-Fiber Cementitious-Matrix Bond Studies at High Stress Rates, 19-22 (July).
Post, D. — Metal-Forming Studies by Moiré Interferometry, 25-28 (June).
The Tilted-Plate Method for Introducing Carrier Fringes of Extension in Moiré Interferometry, 25-29 (July).
Powell, C.D. — Utilization of Tools for Successful Troubleshooting of Structural Problems, 43-47 (Oct.).
Prabhu, M.M. — Photoelastic Coatings on Araldite Model, 14-15 (Feb.).
Prater, Jr, G. — Measurement of the Clamping Error in Floppy Disk Drives, 15-17 (Nov.).
Rao, B.N. — A Procedure for Measuring area Under a Curve to Determine the Fracture Toughness of a Material, 28 (Dec.).
Rao, R.S. — Metal-Forming Studies by Moiré Interferometry, 25-28 (June).
Rice, S.L. — Effect of Partial Laser Beam Coverage on Point-Wise Filtering of Specklegrams, 29-31 (Aug.).
Rubayi, N.A. — Vacuum Stressing Technique for Composite Laminates Inspection by Optical Method, 17-20 (Mar.).
Sathikh, S. — A Mohr's Circle for Large Strain, 27-29 (Apr.).
Schorn, H. — Test Method for Determining Process Zone Position and Fracture Energy of Concrete, 29-33 (June).
Shawki, G.S.A. — Indirect Pressure Measurement for Functionally Inaccessible Vessels, 18-21 (Jan.).
Smith, S.H. — Environmental and Fatigue Behavior of Kevlar/Epoxy Composites with Prior Impact Damage, 16-21 (Feb.).
Sohaney, R.C. — Utilization of Tools for Successful Troubleshooting of Structural Problems, 43-47 (Oct.).
Soucy, Y. — Effects of Data Acquisition Conditions on Modal Testing of a Simple Structure, 35-39 (Oct.).
Stanley C.F. — Application of Holographic Interferometry to Analyze Vibration Patterns in Biological Tissue, 30-31 (Apr.).
Sumich, M. — Manufacture of Composite Test Specimens for Delamination Studies, 20-22 (Oct.).
Sun, N.S. — An Experimental Study of Thermofracture Behavior of Leaking Pipes, 16-20 (Sept.)
Takahashi, S. — Automatic Stress Analysis of Photoelastic Experiment by Use of Image Processing, 22-27 (Dec.).
Tamaki, T. — Automatic Stress Analysis of Photoelastic Experiment by Use of Image Processing, 22-27 (Dec.).
Taniuchi, K. — The Utilization of Stretcher Strains for the Experimental Analysis of Stresses at the Bottoms of Notch Roots, 22-26 (Aug.).
Thannhauser, P. — A Direct Method of Obtaining the Critical Load of Inelastic Columns, 23-24 (July).
Trimble, J. — A Test of Close-Range Photogrammetry, 28-30 (Mar.).
Trottier, J.-F. — Steel-Fiber Cementitious-Matrix Bond Studies at High Stress Rates, 19-22 (July).
Turek, D. — A Test of Close-Range Photogrammetry, 28-30 (Mar.).
Umezaki, E. — Automatic Stress Analysis of Photoelastic Experiment by Use of Image Processing, 22-27 (Dec.).
Walton, J.S. — Generalized 2-D Scaling of Video Data: A Comparison of Techniques for Scaling Displacements Confined to a Plane, 19-24 (May).
Wicks, A.L. — The Estimation of the Frequency Response Function Using Angular Acceleration Measurements, 32-34 (Oct.).
Wing-Chau, F. — A New Method for the Evaluation of the Work-Hardening Index in the Plastic Region, 22-23 (Feb.).
Wright, D. — Modal Test and Operational Vibration Measurements for a Ship Deckhouse Structure, 40-42 (Oct.).